

The image displays a 10x10 grid of 100 small dot patterns. Each pattern is a unique visual representation of a 10-bit binary string. The patterns are arranged in a grid where each row contains 10 patterns and each column contains 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string. The patterns are arranged in a grid where each row contains 10 patterns and each column contains 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string.

A large grid of 100 rows and 100 columns of black dots on a white background. The dots are arranged in a sparse, irregular pattern, with some rows having more dots than others. The dots are small and black, and the background is white. The pattern is dense in some areas and sparse in others, creating a complex, abstract visual structure.

Figure 1 displays a set of 16 dot patterns arranged in two rows of eight. The top row contains patterns for digits 0 through 7, and the bottom row contains patterns for digits 8 through 9. Each digit is represented by a unique configuration of black dots on a white background.

A 4x10 grid of 40 small clusters of black dots, each forming a different abstract pattern. The patterns vary in complexity, density, and shape, ranging from simple pairs to dense, interconnected groups.

• • • • •
• • • • •
• • • • •

• • • • •
• • • • •
• • • • •

• • • • •
• • • • •
• • • • •

• • • • •
• • • • •
• • • • •

• • • • •
• • • • •
• • • • •

• • • • •
• • • • •
• • • • •