




The image displays a 10x10 grid of 100 small dot patterns. Each pattern is a unique combination of 10 binary digits (0s and 1s), arranged in a 2x5 grid of dots. The patterns are organized into 10 rows and 10 columns, with each row and column containing a different set of patterns. The patterns are arranged in a way that they can be read as a sequence of 100 binary digits, from top-left to bottom-right.

A 3x3 grid of dots. The top row has two dots, the middle row has two dots, and the bottom row has two dots. The dot at the bottom-left position is missing.



The image displays a 10x10 grid of 100 small dot patterns. Each pattern is a unique visual representation of a 10-bit binary string. The patterns are arranged in 10 rows and 10 columns, with each row containing 10 patterns and each column containing 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string. The patterns are arranged in a grid where each row contains 10 patterns and each column contains 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string.







| Number of children | Number of families |
|--------------------|--------------------|
| 0                  | 1                  |
| 1                  | 2                  |
| 2                  | 3                  |
| 3                  | 4                  |
| 4                  | 2                  |
| 5                  | 1                  |

A 3x3 grid of dots. The top row has two dots, the middle row has three dots, and the bottom row has two dots. The dot in the top-right position is missing.