

The image displays a 10x10 grid of 100 small dot patterns. Each pattern is a 5x5 arrangement of dots, where each dot is either present (representing a 1) or absent (representing a 0). The patterns are generated by a program that iterates through all possible combinations of 10 binary digits, from 0000000000 to 1111111111. The patterns are arranged in a 10x10 grid, with each pattern consisting of a 5x5 arrangement of dots. The patterns are generated by a program that iterates through all possible combinations of 10 binary digits, from 0000000000 to 1111111111.

The image displays a 10x10 grid of 100 small dot patterns. Each pattern is a unique combination of 10 binary digits (0s and 1s). The patterns are arranged in rows and columns, with each row containing 10 patterns and each column containing 10 patterns. The patterns are created by placing black dots on a white background, with the number of dots in each of the 10 positions corresponding to the binary value of that digit. The patterns are arranged in a way that each row and column contains a unique set of patterns, representing all possible combinations of 10 binary digits.

A 3x3 grid of dots. The dots are located at the following positions (row, column): (1,1), (1,2), (1,3), (2,1), (2,2), (2,3), (3,1), (3,2), (3,3). The dots are arranged in a sparse pattern, with some cells empty.

A 3x3 grid of dots. The top row has two dots, the middle row has two dots, and the bottom row has two dots. The dot in the top-right position is missing.

... ..
... ..
... ..
... ..
... ..
... ..

... ..

... ..
... ..
... ..
... ..

... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..

... ..
... ..
... ..
... ..

... ..
... ..
... ..

