

The image displays a 10x10 grid of 100 small dot patterns. Each pattern is a unique visual representation of a 10-bit binary string. The patterns are arranged in a grid where each row contains 10 patterns and each column contains 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string. The patterns are arranged in a grid where each row contains 10 patterns and each column contains 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string.

A 3x15 grid of 45 small clusters of black dots. Each cluster is a unique arrangement of 1 to 10 dots, forming various abstract shapes. Some clusters resemble letters (e.g., 'a', 'b', 'c', 'd', 'e', 'f', 'g', 'h', 'i', 'j', 'k', 'l', 'm', 'n', 'o', 'p', 'q', 'r', 's', 't', 'u', 'v', 'w', 'x', 'y', 'z'), while others are more geometric or symbolic. The dots are small and black, set against a white background.

Number of children	Number of families
0	1
1	2
2	3
3	4
4	2
5	1

• • •

The image displays a 10x10 grid of 100 small dot patterns. Each pattern is a unique combination of 10 binary digits (0s and 1s). The patterns are arranged in 10 rows and 10 columns, with each row containing 10 patterns and each column containing 10 patterns. The patterns are created by placing black dots on a white background, with the number of dots in each row and column corresponding to the binary value of the digits.

• • • • •

... ..
... ..
... ..
... ..

... ..
... ..
... ..
... ..
... ..
... ..

... ..

... ..
... ..
... ..
... ..
... ..
... ..
... ..
... ..