





The image displays a 10x10 grid of 100 small dot patterns. Each pattern is a unique visual representation of a 10-bit binary string. The patterns are arranged in 10 rows and 10 columns, with each row containing 10 patterns and each column containing 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string. The patterns are arranged in a grid where each row contains 10 patterns and each column contains 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string.









[illegible]

• •

• • •

• •





A 6x10 grid of 60 small clusters of black dots, each representing a different handwritten digit from 0 to 9. The digits are arranged in six rows and ten columns, showing various styles and orientations. The digits are: Row 1: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9; Row 2: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9; Row 3: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9; Row 4: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9; Row 5: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9; Row 6: 0, 1, 2, 3, 4, 5, 6, 7, 8, 9.

A 3x3 grid of dots. The top row has three dots. The middle row has two dots, with the rightmost position empty. The bottom row has three dots.