



The figure consists of 10 sub-diagrams arranged horizontally, each showing a set of black dots on a white background. The dots are arranged in a grid-like fashion, with some dots missing, creating a pattern that evolves from left to right. The pattern starts as a small cluster of dots and grows into a long, horizontal, somewhat irregular shape. The dots are arranged in a way that suggests a branching or diffusion process.

The figure consists of 10 sub-diagrams arranged horizontally, each showing a pattern of black dots on a grid. The patterns evolve from left to right, starting with a small cluster of dots and growing into a more complex, branching structure.

The figure consists of 10 diagrams arranged in two rows of five. Each diagram shows a pattern of black dots on a grid. The pattern starts as a small cluster of dots in the first diagram and grows into a larger, more complex shape in the tenth diagram. The growth is characterized by the addition of new dots to the existing cluster, forming a series of connected shapes.

[illegible]
























[illegible]

Figure 1 consists of six sub-diagrams labeled (a) through (f), each showing a set of particles (represented by dots) on a grid. The particles are initially distributed in a somewhat random pattern in (a). In (b), some particles have moved to new positions, indicated by arrows. This process continues through (c), (d), (e), and finally (f), where the particles have converged into a more organized, linear arrangement. The diagrams illustrate the iterative movement and clustering of particles in the proposed algorithm.

A series of 10 dot patterns arranged horizontally, representing the digits 0 through 9. Each digit is formed by a specific arrangement of black dots on a white background.

[illegible]

A 3x3 grid of dots. The top row has two dots, the middle row has two dots, and the bottom row has two dots. The dot in the top-right position is missing.

The image displays a 10x10 grid of 100 small dot patterns. Each pattern is a unique visual representation of a 10-bit binary string. The patterns are arranged in 10 rows and 10 columns, with each row containing 10 patterns and each column containing 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string. The patterns are arranged in a grid where each row contains 10 patterns and each column contains 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string.

