

The image displays a 10x10 grid of 100 small dot patterns. Each pattern is a unique visual representation of a 10-bit binary string. The patterns are arranged in 10 rows and 10 columns, with each row containing 10 patterns and each column containing 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string. The patterns are arranged in a grid where each row contains 10 patterns and each column contains 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string.

The image displays a 10x10 grid of 100 small dot patterns. Each pattern is a unique visual representation of a 10-bit binary string. The patterns are arranged in a grid where each row contains 10 patterns and each column contains 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string. The patterns are arranged in a grid where each row contains 10 patterns and each column contains 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string.

The image displays a 10x10 grid of 100 small dot patterns. Each pattern is a unique visual representation of a 10-bit binary string. The patterns are arranged in a grid where each row contains 10 patterns and each column contains 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string. The patterns are arranged in a grid where each row contains 10 patterns and each column contains 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string.

The image displays a 100x100 grid of dots. The dots are arranged in a pattern that suggests a banded structure, with higher density along the main diagonal and some off-diagonal elements, typical of a discretized differential equation system. The dots are arranged in a pattern that suggests a banded structure, with higher density along the main diagonal and some off-diagonal elements, typical of a discretized differential equation system.

Number of books read	Number of students
1	3
2	4
3	2
4	1
5	2
6	1
7	1
8	2
9	2
10	1

A 3x3 grid of dots. The top row has two dots, the middle row has two dots, and the bottom row has two dots. The dot in the top-right position is missing.

The image displays a 6x10 grid of 60 unique dot patterns. Each pattern is a 10-bit binary code, where the presence of a dot represents a '1' and the absence represents a '0'. The patterns are arranged in six rows and ten columns, with each pattern consisting of black dots on a white background. The patterns are arranged in a way that they can be read as a sequence of 60 unique 10-bit binary codes, which are the 10-bit Gray codes. The patterns are arranged in a way that they can be read as a sequence of 60 unique 10-bit binary codes, which are the 10-bit Gray codes.

The image displays a 7x10 grid of 70 small dot patterns. Each pattern consists of 7 dots arranged in a 3x3 grid, with the center dot always being active. The patterns represent all possible combinations of the 6 outer dots being active or inactive, totaling 2^6 = 64 patterns. The patterns are arranged in rows and columns, showing various combinations of the 7 dots being active or inactive.

A 7x10 grid of 70 small clusters of black dots. Each cluster is a unique arrangement of dots, ranging from simple shapes like lines and squares to more complex, abstract patterns. The dots are black and the background is white.

Figure 1 displays a 3x10 grid of 30 dot patterns, representing the digits 0 through 9. The patterns are arranged in three rows and ten columns. The first row shows the digits in a standard style. The second row shows the digits in a style with more dots. The third row shows the digits in a style with even more dots, including some that are not in the standard style.

