

The image displays a 10x10 grid of 100 small dot patterns. Each pattern is a unique visual representation of a 10-bit binary string. The patterns are arranged in a grid where each row contains 10 patterns and each column contains 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string. The patterns are arranged in a grid where each row contains 10 patterns and each column contains 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string.

A 5x10 grid of 50 small clusters of black dots, each forming a different abstract pattern. The patterns vary in complexity, from simple vertical lines to dense, interconnected shapes.

A 3x3 grid of dots. The top row has two dots in the second and third columns. The middle row has two dots in the second and third columns. The bottom row has two dots in the first and second columns. The dot in the bottom-left position (row 3, column 1) is missing.

The image displays a 10x10 grid of 100 small dot patterns. Each pattern is a unique visual representation of a 10-bit binary string. The patterns are arranged in a grid where each row contains 10 patterns and each column contains 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string. The patterns are arranged in a grid where each row contains 10 patterns and each column contains 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string.

The figure consists of eight diagrams arranged horizontally, each showing a cluster of points (dots) on a grid. The points are arranged in a way that suggests a growing cluster. The first diagram has 5 points, the second has 7, the third has 9, the fourth has 11, the fifth has 13, the sixth has 15, the seventh has 17, and the eighth has 19 points. The points are arranged in a way that suggests a growing cluster, with the points in each diagram being a subset of the points in the next diagram.

A 3x3 grid of dots. The dots are located at the following positions (row, column): (1,1), (1,2), (1,3), (2,1), (2,3), (3,1), and (3,2). The center position (2,2) is empty.

A 10x10 grid of 100 small clusters of black dots, each cluster representing a different number from 0 to 99. The clusters are arranged in a grid where the first row shows numbers 0-9, the second row 10-19, and so on, up to the tenth row showing 90-99. Each cluster is a unique pattern of dots, with the number of dots corresponding to the value it represents.

A 3x3 grid of dots. The top row has two dots, the middle row has two dots, and the bottom row has two dots. The dot in the top-right position is missing.

... ..
... ..
... ..
... ..
... ..

... ..

... ..