





The image displays a 10x10 grid of 100 small dot patterns. Each pattern is a unique combination of 10 binary digits (0s and 1s). The patterns are arranged in rows and columns, with each row containing 10 patterns and each column containing 10 patterns. The patterns are created by placing black dots on a white background, with the number of dots in each of the 10 positions corresponding to the binary value of that digit. The patterns are arranged in a way that each row and column contains a unique set of patterns, representing all possible combinations of 10 binary digits.

A 2x4 grid of dot patterns. The first two columns show a 2x2 square of dots. The third and fourth columns show a 2x2 square of dots with an additional dot above the top-right dot.

A 3x3 grid of dots. The top row has two dots in the first and second columns. The middle row has one dot in the first column. The bottom row has two dots in the first and second columns. The dot in the top-right position (row 1, column 3) is missing.

A 10x10 grid of 100 small dot patterns, each representing a unique combination of 10 binary digits (0s and 1s). The patterns are arranged in rows and columns, with each row containing 10 patterns and each column containing 10 patterns. The patterns are created by placing black dots on a white background, with the number of dots in each row and column corresponding to the binary value of the digit.

A 3x3 grid of dots. The dots are located at the following positions (row, column): (1,1), (1,2), (1,3), (2,1), (2,3), (3,1), and (3,2). The center position (2,2) is empty.



