

A large grid of 100 rows and 100 columns of black dots on a white background. The dots are arranged in a sparse, irregular pattern, with some rows having more dots than others. The dots are small and black, and the background is white. The pattern is roughly rectangular, with the dots concentrated in the central area and fewer dots towards the edges. The dots are arranged in a way that suggests a random or semi-random distribution, but with some visible structure or clustering. The overall appearance is that of a sparse, irregular grid of points.

The image displays a 10x10 grid of 100 small dot patterns. Each pattern is a unique combination of 10 binary digits (0s and 1s), arranged in 10 rows and 10 columns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string. The patterns are arranged in 10 rows and 10 columns, with each row containing 10 patterns and each column containing 10 patterns. The patterns are generated by a random process, resulting in a diverse set of visual representations for each 10-bit binary string.

•	•		•		•	•		•			
		•		•			•		•	•	•
•			•		•			•			•

A 3x3 grid of dots. The top row has two dots in the first and second positions. The middle row has two dots in the first and third positions. The bottom row has two dots in the first and second positions. The dot in the top-right position (row 1, column 3) is missing.

A 3x3 grid of dots. The top row has two dots, the middle row has two dots, and the bottom row has two dots. The dot in the top-right position is missing.