






A 10x10 grid of 100 small clusters of black dots, each cluster representing a different number from 0 to 99. The clusters are arranged in a grid where the first column shows numbers 0-9, the second column shows 10-19, and so on, up to the tenth column showing 90-99. Each cluster is a unique arrangement of dots, with some numbers having a single dot and others having many dots in various patterns.

Figure 1 is a scatter plot with 'Number of children in the household' on the x-axis and 'Number of children in the neighborhood' on the y-axis. Both axes range from 0 to 10. There are 15 data points plotted, showing a weak positive correlation. The points are approximately at (1, 1), (2, 2), (3, 3), (4, 4), (5, 5), (6, 6), (7, 7), (8, 8), (9, 9), (10, 10), (1, 2), (2, 1), (3, 2), (4, 1), (5, 2), (6, 1), (7, 2), (8, 1), (9, 1), (10, 1), (1, 3), (2, 4), (3, 5), (4, 6), (5, 7), (6, 8), (7, 9), (8, 10), (9, 11), (10, 12).

A 3x3 grid of dots. The top row has three dots. The middle row has two dots, with the rightmost position empty. The bottom row has two dots, with the rightmost position empty.

A 3x3 grid of dots. The top row has two dots in the first and second positions. The middle row has two dots in the first and third positions. The bottom row has two dots in the first and second positions. The dot in the top-right position (row 1, column 3) is missing.